

Plancha y Flejes.

Product code examples:

PS-316L-2-3000-1500

PS-316L-2-3000-1500-2B-PC

A = stock standard item, Australia. * = 2D finish, ** = 2E finish.

Thickness, mm	Width, mm	Length, mm	Finish		ASTM 304	ASTM 304L	ASTM 316	ASTM 316L	ASTM 321
0.55	1219	2438	2B	-	A	-	A	-	-
0.55	1219	2438	#4	PC	A	-	-	-	-
0.7	1219	2438	2B	-	A	-	A	-	-
0.7	1219	2438	2B	PC	A	-	A	-	-
0.7	1219	2438	#4	PC	A	-	-	-	-
0.9	915	2438	#4	PC	A	-	-	-	-
0.9	915	3048	#4	PC	A	-	-	-	-
0.9	1219	2438	2B	-	A	-	A	-	-
0.9	1219	2438	2B	PC	A	-	A	-	-
0.9	1219	2438	#4	PC	A	-	-	-	-
0.9	1219	3048	#4	PC	A	-	A	-	-
0.9	1524	3048	2B	-	A	-	A	-	-
0.9	1524	3048	2B	PC	A	-	A	-	-
0.9	1524	3048	#4	PC	A	-	-	-	-
1.2	915	2438	#4	PC	A	-	-	-	-
1.2	915	3048	#4	PC	A	-	-	-	-
1.2	915	3658	#4	PC	A	-	-	-	-
1.2	1219	1829	2B	-	A	-	A	-	-
1.2	1219	2438	2B	-	A	-	A	-	-
1.2	1219	2438	2B	PC	A	-	A	-	-

PS-316L-2-3000-1500

PS-316L-2-3000-1500-2B-PC

A = stock standard item, Australia. * = 2D finish, ** = 2E finish.

Thickness, mm	Width, mm	Length, mm	Finish		ASTM 304	ASTM 304L	ASTM 316	ASTM 316L	ASTM 321
1.2	1219	2438	#4	PC	A	-	A	-	-
1.2	1219	3048	2B	-	A	-	A	-	-
1.2	1219	3048	#4	PC	A	-	-	-	-
1.2	1219	3658	#4	PC	A	-	-	-	-
1.2	1500	3000	2B	PC	A	-	A	-	-
1.5	1219	2438	2B	-	A	-	A	-	-
1.5	1219	2438	2B	PC	A	-	A	-	-
1.5	1219	2438	#4	PC	A	-	A	-	-
1.5	1219	2438	BA	PC	A	-	A	-	-
1.5	1500	3000	2B	-	-	-	A	-	-
1.5	1500	3000	2B	PC	-	-	A	-	-
2.0	1219	2438	2B		A	-	A	-	-
2.0	1219	2438	2B	PC	A	-	A	-	-
2.0	1219	2438	#4	PC	A	-	A	-	-
2.0	1219	3048	2B	-	A	-	A	-	-
2.0	1500	3000	2B	-	-	-	A	-	-
2.0	1500	3000	2B	PC	-	-	A	-	A
2.0	2000	4000	2B	-	A	-	-	A	-
2.0	2000	4000	2B	PC	A	-	-	A	-
2.5	1219	2438	2B	-	A	-	A	-	-
2.5	1219	2438	2B	PC	A	-	A	-	-
2.5	1219	2438	#4	-	A	-	-	-	-

PS-316L-2-3000-1500

PS-316L-2-3000-1500-2B-PC

A = stock standard item, Australia. * = 2D finish, ** = 2E finish.

Thickness, mm	Width, mm	Length, mm	Finish		ASTM 304	ASTM 304L	ASTM 316	ASTM 316L	ASTM 321
2.5	1500	3000	2B	-	A	-	A	-	-
2.5	1500	3000	2B	PC	A	-	A	-	-
2.5	1524	3048	2B	-	A	-	A	-	-
2.5	1524	3048	2B	PC	A	-	A	-	-
2.5	2000	4000	2B	PC	A	-	-	-	-
3.0	1219	2438	2B	-	A	-	A	-	-
3.0	1219	2438	2B	PC	A	-	A	-	-
3.0	1219	2438	#4	PC	A	-	A	-	-
3.0	1500	3000	2B	-	-	-	A	-	-
3.0	1500	3000	2B	PC	A	-	-	A	-
3.9	1500	3000	#4		A	-	-	-	-
3.0	2000	4000	2B	-	A	-	-	-	-
3.0	2000	4000	2B	PC	A	-	-	A	-
3.0	2000	6000	#1	-	A	-	-	A	-
4.0	1219	2438	2B	-	A	-	-	A	-
4.0	1219	2438	2B	PC	A	-	-	A	-
4.0	1219	4000	2B	PC	A	-	-	A	-
4.0	1500	3000	#1	-	A	-	-	A	-
4.0	1500	3000	2B	-	A	-	-	A	-
4.0	1500	3000	2B	PC	A	-	-	A	-
4.0	1500	4000	2B	PC	A	-	-	-	-
4.0	1500	6000	2B	PC	A	-	-	-	-

PS-316L-2-3000-1500

PS-316L-2-3000-1500-2B-PC

A = stock standard item, Australia. * = 2D finish, ** = 2E finish.

Thickness, mm	Width, mm	Length, mm	Finish		ASTM 304	ASTM 304L	ASTM 316	ASTM 316L	ASTM 321
4.0	2000	4000	2B	PC	A	-	-	A	-
4.0	2000	6000	#1	-	A	-	-	A	-
5.0	1219	2438	2B	PC	A	-	-	A	-
5.0	1219	4000	2B	PC	A	-	-	A	-
5.0	1500	3000	#1	-	A	-	-	A	-
5.0	1500	3000	2B	-	A	-	-	A	-
5.0	1500	3000	2B	PC	A	-	-	A	-
5.0	1500	4000	#1	-	A	-	-	-	-
5.0	1500	4000	2B	PC	A	-	-	-	-
5.0	1500	6000	#1	-	A	-	-	A	-
5.0	1500	6000	2B	PC	A	-	-	A	-
5.0	2000	4000	#1	-	A	-	-	A	-
5.0	2000	4000	2B	PC	A	-	-	-	-
5.0	2000	6000	#1	-	A	-	-	A	A
5.0	2500	6000	#1	-	A	-	-	A	-
6.0	1219	2438	2B	PC	A	-	-	A	-
6.0	1219	4000	2B	PC	A	-	-	A	-
6.0	1219	6000	#1	-	A	-	-	A	-
6.0	1500	3000	#1	-	A	-	-	A	-
6.0	1500	3000	2B	-	A	-	-	A	-
6.0	1500	3000	2B	PC	A	-	-	A	-
6.0	1500	4000	2B	PC	A	-	-	A	-

PS-316L-2-3000-1500

PS-316L-2-3000-1500-2B-PC

A = stock standard item, Australia. * = 2D finish, ** = 2E finish.

Thickness, mm	Width, mm	Length, mm	Finish		ASTM 304	ASTM 304L	ASTM 316	ASTM 316L	ASTM 321
6.0	1500	6000	#1	-	A	-	-	A	-
6.0	1500	6000	2B	PC	A	-	-	A	-
6.0	2000	4000	#1	-	A	-	-	A	-
6.0	2000	4000	2B	PC	A	-	-	A	-
6.0	2000	6000	#1	-	A	-	-	A	A
6.0	2500	6000	#1	-	A	-	-	A	-
8.0	1219	2438	#1	-	A	-	-	A	-
8.0	1500	3000	#1	-	A	-	-	A	-
8.0	1500	4000	#1	-	A	-	-	A	-
8.0	1500	6000	#1	-	A	-	-	A	-
8.0	2000	4000	#1	-	A	-	-	A	-
8.0	2000	6000	#1	-	A	-	-	A	A
8.0	2000	6000	2B	PC	A	-	-	-	-
8.0	2500	6000	#1	-	A	-	-	A	-
10	1219	2438	#1	-	A	-	-	A	-
10	1500	3000	#1	-	A	-	-	A	-
10	1500	4000	#1	-	A	-	-	A	-
10	1500	6000	#1	-	A	-	-	A	-
10	2000	4000	#1	-	A	-	-	A	-
10	2000	6000	#1	-	A	-	-	A	A
10	2500	6000	#1	-	A	-	-	A	-
10	3000	6000	#1	-	A	-	-	A	-

PS-316L-2-3000-1500

PS-316L-2-3000-1500-2B-PC

A = stock standard item, Australia. * = 2D finish, ** = 2E finish.

Thickness, mm	Width, mm	Length, mm	Finish		ASTM 304	ASTM 304L	ASTM 316	ASTM 316L	ASTM 321
12	1500	3000	#1	-	-	A	-	A	-
12	1500	4000	#1	-	-	A	-	A	-
12	1500	6000	#1	-	-	A	-	A	-
12	2000	4000	#1	-	-	A	-	A	-
12	2000	6000	#1	-	-	A	-	A	-
12	2500	6000	#1	-	-	A	-	A	-
12	3000	6000	#1	-	A	-	-	A	-
16	1500	3000	#1	-	-	A	-	A	-
16	1500	6000	#1	-	-	A	-	A	-
16	2000	4000	#1	-	-	A	-	A	-
16	2000	6000	#1	-	-	A	-	A	-
16	2500	6000	#1	-	-	A	-	A	-
16	3000	6000	#1	-	A	-	-	A	-
19	1500	6000	#1	-	-	A	-	A	-
19	2000	4000	#1	-	-	A	-	A	-
19	2000	6000	#1	-	-	A	-	A	-
19	2500	6000	#1	-	-	A	-	A	-
20	1500	6000	#1	-	-	A	-	A	-
20	2000	4000	#1	-	-	A	-	A	-
20	2000	6000	#1	-	-	A	-	A	A
20	2500	6000	#1	-	-	A	-	A	-
25	1500	3000	#1	-	-	A	-	A	-

PS-316L-2-3000-1500

PS-316L-2-3000-1500-2B-PC

A = stock standard item, Australia. * = 2D finish, ** = 2E finish.

Thickness, mm	Width, mm	Length, mm	Finish		ASTM 304	ASTM 304L	ASTM 316	ASTM 316L	ASTM 321
25	1500	6000	#1	-	-	-	-	-	-
25	2000	4000	#1	-	-	A	-	A	-
25	2000	6000	#1	-	-	A	-	A	-
25	2500	6000	#1	-	-	-	-	A	-
32	1500	6000	#1	-	-	A	-	A	-
32	2000	4000	#1	-	-	-	-	-	-
32	2000	6000	#1	-	-	A	-	A	-
40	1500	6000	#1	-	-	A	-	A	-
40	2000	4000	#1	-	-	A	-	A	-
40	2000	6000	#1	-	-	A	-	A	-
50	2000	6000	#1	-	-	A	-	A	-
65	2000	4000	#1	-	-	-	-	A	-
80	1500	3000	#1	-	-	A	-	A	-
100	2000	3000	#1	-	-	-	-	A	-